



C. J. G.

PATENT
47489/RAG/C766

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

U.S. Patent No. : 6,756,795 *B2* Confirmation No. 8386
Issued : June 29, 2004
Inventor(s) : Brian D. Hunt, et al.
Application No. : 10/052,302
Filed : January 18, 2002
Title : CARBON NANOBIMORPH ACTUATOR AND SENSOR

REQUEST FOR CERTIFICATE OF CORRECTION

Office of Certificates of Correction
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

P. O. Box 7068
Pasadena, CA 91109-7068
August 16, 2005

Commissioner:

Submitted herewith are two copies of a proposed Certificate of Correction for the above-referenced patent. The errors are identified in detail in the proposed certificate, and the corresponding text in the application is located as follows:

Location in Patent

Location in Application

PTO errors:

On the Title Page

(56) References Cited
Other Publications
Poncharal, Philippe et al.; Electrostatic
Deflections. . .

IDS filed June 25, 2002, Sheet 4 of 6

Certificate
AUG 24 2005
of Correction

Applicant errors:

On the Title Page

(75) Inventors
Brian D. Hunt

Declaration and POA

(56) References Cited
Other Publications
Liu, Q. et al.; Detection of Virtually. . .

IDS filed June 25, 2002, Sheet 4 of 6

08/23/2005 MWOLDGE1 00000021 6756795

01 FC:1811

100.00 OP

I hereby certify that this correspondence is being deposited with the
U.S. Postal Service as first class mail in an envelope addressed to:
Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-
1450 on Aug. 16, 2005
(Date of Deposit)

AUG 25 2005

U.S. Patent No. 6,756,795 B2

(56) References Cited
Other Publications
Murakami, Hirohiko et al.; Field
emission. . .

IDS filed June 25, 2002, Sheet 4 of 6

In the Claims

Column 12, line 46, Claim 16

Claims as originally filed, pg. 26, Claim 16

Column 14, line 26, Claim 37


Claims as originally filed, pg. 34, Old Claim 64

Applicant(s) errors were unintentional and inadvertent, and were made in good faith through oversight. Correction is accordingly requested under 35 U.S.C. § 255, and our check for the \$100 statutory fee is enclosed. Any deficiency or overpayment should be charged or credited to Deposit Account No. 03-1728. Please show our docket number with any credit or charge to our Deposit Account.

Correction of applicant(s) errors does not constitute new matter or require reexamination. Approval of this certificate is respectfully requested

Respectfully submitted,

CHRISTIE, PARKER & HALE, LLP

By 
Robert A. Green
Reg. No. 28,301
626/795-9900

RAG/clv

Enclosures: Certificate of Correction (2)
Check \$100

CLV PAS631805.1-*07/5/05 4:17 PM

AUG 25 2005

AUG 25 2005